	Type	Hits	Search Text	DBs	Time Stamp
1	BRS	9761	707/1-3,8,10.ccls.	US-PGPUB; USPAT	2004/02/07 12:17
2	BRS	4425	707/100-102.ccls.	US-PGPUB; USPAT	2004/02/07 12:17
3	BRS	3635	707/200,202-205.ccls.	US-PGPUB; USPAT	2004/02/07 12:18
4	BRS	1544	710/1,22,23.ccls.	US-PGPUB; USPAT	2004/02/07 12:18
5	BRS	4823	711/100,101,111,112,154,159-162,165.ccls.	US-PGPUB; USPAT	2004/02/07 12:19
6	BRS	14890	707/1-3,8,10.ccls. or 707/100-102.ccls. or 707/200,202-205.ccls.	US-PGPUB; USPAT	2004/12/23 10:42
7	BRS	6271	710/1,22,23.ccls. or 711/100,101,111,112,154,159-162,165.ccls.	US-PGPUB; USPAT	2004/02/11 08:31
8	BRS	14940	707/1-3,8,10.ccls. or 707/100-102.ccls. or 707/200,202-205.ccls.	US-PGPUB; USPAT	2005/04/20 11:02
9	BRS	6282	710/1,22,23.ccls. or 711/100,101,111,112,154,159-162,165.ccls.	US-PGPUB; USPAT	2004/12/23 10:42
10	BRS	30746	(identif$4 with data) and (storage adj device$2)	US-PGPUB; USPAT	2004/02/10 09:08
11	BRS	2213	(identif$4 with data) and (storage adj device$2) and ((categoriz$4 or classif$4) with data)	US-PGPUB; USPAT	2004/02/10 09:12
12	BRS	1	(identif$4 with data) and (storage adj device$2) and ((categoriz$4 or classif$4) with data) and ((reallocat$4 or reassign$4) with portion adj2 data)	US-PGPUB; USPAT	2004/02/10 09:32
13	BRS	156	(identif$4 with data) and (storage adj device$2) and ((categoriz$4 or classif$4) with data) and (alert$4 with user)	US-PGPUB; USPAT	2004/02/10 09:12
14	BRS	37	(identif$4 with data) and (storage adj device$2) and ((categoriz$4 or classif$4) with data) and (alert$4 with user) and (threshold with (satisf$4 or obtain$4 or reach$4))	US-PGPUB; USPAT	2004/02/10 09:14

	Type	Hits	Search Text	DBs	Time Stamp
15	BRS	12	((707/1-3,8,10.ccls. or 707/100-102.ccls. or 707/200,202-205.ccls.) or (710/1,22,23.ccls. or 711/100,101,111,112,154,159-162,165.ccls.)) and ((identif$4 with data) and (storage adj device$2) and ((categoriz$4 or classif$4) with data) and (alert$4 with user) and (threshold with (satisf$4 or obtain$4 or reach$4)))	US-PGPUB; USPAT	2005/04/20 16:49
16	BRS	9	((707/1-3,8,10.ccls. or 707/100-102.ccls. or 707/200,202-205.ccls.) or (710/1,22,23.ccls. or 711/100,101,111,112,154,159-162,165.ccls.)) and ((identif$4 adj2 data) and (storage adj device$2) and ((categoriz$4 or classif$4) with data) and (alert$4 with user) and (threshold with (satisf$4 or obtain$4 or reach$4)))	US-PGPUB; USPAT	2004/02/10 09:19
17	BRS	1	((categoriz$4 or classif$4) with data) and ((reallocat$4 or reassign$4) with portion adj2 data)	US-PGPUB; USPAT	2004/02/10 09:31
18	BRS	5	((707/1-3,8,10.ccls. or 707/100-102.ccls. or 707/200,202-205.ccls.) or (710/1,22,23.ccls. or 711/100,101,111,112,154,159-162,165.ccls.)) and ((identif$4 with data) and ((reallocat$4 or reassign$4) with portion adj2 data))	US-PGPUB; USPAT	2004/02/10 09:44
19	BRS	11	(identif$4 with data) and ((reallocat$4 or reassign$4) with portion adj2 data)	US-PGPUB; USPAT	2004/02/10 09:43

| 20 | BRS | 5 | ((707/1-3,8,10.ccls. or 707/100-102.ccls. or 707/200,202-205.ccls.) or (710/1,22,23.ccls. or 711/100,101,111,112,154,159-162,165.ccls.)) and ((identif$4 with data) and ((reallocat$4 or reassign$4) with (portion or part) adj2 data)) | US-PGPUB; USPAT | 2004/02/10 09:44 |

	Type	Hits	Search Text	DBs	Time Stamp
21	BRS	15	(identif$4 with data) and ((reallocat$4 or reassign$4) with (portion or part) adj2 data)	US-PGPUB; USPAT	2004/02/10 09:56
22	BRS	1417	(identif$4 with data) and ((reallocat$4 or reassign$4) and (portion or part) adj2 data)	US-PGPUB; USPAT	2004/02/10 09:56
23	BRS	478	(identif$4 with data) and ((reallocat$4 or reassign$4) with data) and ((portion or part) adj2 data)	US-PGPUB; USPAT	2004/02/10 09:58
24	BRS	53	((707/1-3,8,10.ccls. or 707/100-102.ccls. or 707/200,202-205.ccls.) or (710/1,22,23.ccls. or 711/100,101,111,112,154,159-162,165.ccls.)) and ((identif$4 with data) and ((reallocat$4 or reassign$4) with data) and ((portion or part) adj2 data))	US-PGPUB; USPAT	2004/02/10 09:58
25	BRS	14940	707/1-3,8,10.ccls. or 707/100-102.ccls. or 707/200,202-205.ccls.	US-PGPUB; USPAT	2004/02/10 17:08
26	BRS	6282	710/1,22,23.ccls. or 711/100,101,111,112,154,159-162,165.ccls.	US-PGPUB; USPAT	2005/04/20 11:02
27	BRS	1070	pie adj chart$2	US-PGPUB; USPAT	2004/02/10 17:09
28	BRS	1	drill$2down adj2 format$2 and (pie adj chart$2)	US-PGPUB; USPAT	2004/02/10 17:10
29	BRS	1	((707/1-3,8,10.ccls. or 707/100-102.ccls. or 707/200,202-205.ccls.) or (710/1,22,23.ccls. or 711/100,101,111,112,154,159-162,165.ccls.)) and (drill$2down adj2 format$2)	US-PGPUB; USPAT	2004/02/10 17:11
30	BRS	26	drill$2down with format$2	US-PGPUB; USPAT	2004/02/10 17:11
31	BRS	1	((707/1-3,8,10.ccls. or 707/100-102.ccls. or 707/200,202-205.ccls.) or (710/1,22,23.ccls. or 711/100,101,111,112,154,159-162,165.ccls.)) and (drill$2down with format$2)	US-PGPUB; USPAT	2004/02/10 17:11

32	BRS	9	drill$2down adj2 format$2	US-PGPUB; USPAT	2004/02/11 10:15

	Type	Hits	Search Text	DBs	Time Stamp
33	BRS	91803	receiv$4 with command$2	US-PGPUB; USPAT	2004/02/10 17:14
34	BRS	11	file adj2 association adj2 table$2	US-PGPUB; USPAT	2004/02/10 17:14
35	BRS	2	((707/1-3,8,10.ccls. or 707/100-102.ccls. or 707/200,202-205.ccls.) or (710/1,22,23.ccls. or 711/100,101,111,112,154,159-162,165.ccls.)) and (file adj2 association adj2 table$2)	US-PGPUB; USPAT	2004/02/10 17:16
36	BRS	358	((707/1-3,8,10.ccls. or 707/100-102.ccls. or 707/200,202-205.ccls.) or (710/1,22,23.ccls. or 711/100,101,111,112,154,159-162,165.ccls.)) and (file adj2 allocation adj2 table$2)	US-PGPUB; USPAT	2004/02/10 17:17
37	BRS	1	((707/1-3,8,10.ccls. or 707/100-102.ccls. or 707/200,202-205.ccls.) or (710/1,22,23.ccls. or 711/100,101,111,112,154,159-162,165.ccls.)) and (file adj2 allocation adj2 table$2) and (file adj2 association adj2 table$2)	US-PGPUB; USPAT	2004/02/10 17:18
38	BRS	2	((707/1-3,8,10.ccls. or 707/100-102.ccls. or 707/200,202-205.ccls.) or (710/1,22,23.ccls. or 711/100,101,111,112,154,159-162,165.ccls.)) and (file adj2 allocation adj2 table$2) and (pie adj chart$2)	US-PGPUB; USPAT	2004/02/10 17:18
39	BRS	14940	707/1-3,8,10.ccls. or 707/100-102.ccls. or 707/200,202-205.ccls.	US-PGPUB; USPAT	2004/02/11 08:31
40	BRS	6282	710/1,22,23.ccls. or 711/100,101,111,112,154,159-162,165.ccls.	US-PGPUB; USPAT	2004/02/11 08:31
41	BRS	91803	receiv$4 with command$2	US-PGPUB; USPAT	2004/02/11 10:18
42	BRS	11747	receiv$4 with command$2 with user$2	US-PGPUB; USPAT	2004/02/11 10:28
43	BRS	3901	threshold$2 with default$2	US-PGPUB; USPAT	2004/02/11 10:20

44	BRS	1	capicit$4 with storage adj2 device$2	US-PGPUB; USPAT	2004/02/11 10:21

	Type	Hits	Search Text	DBs	Time Stamp
45	BRS	9	capicit$4 and storage adj2 device$2	US-PGPUB; USPAT	2004/02/11 10:23
46	BRS	49415	capacit$4 and storage adj2 device$2	US-PGPUB; USPAT	2004/02/11 10:24
47	BRS	10519	capacit$4 with storage adj2 device$2	US-PGPUB; USPAT	2005/04/22 08:31
48	BRS	39	capacit$4 with storage adj2 device$2 and (threshold$2 with default$2)	US-PGPUB; USPAT	2004/02/11 10:24
49	BRS	12	((707/1-3,8,10.ccls. or 707/100-102.ccls. or 707/200,202-205.ccls.) or (710/1,22,23.ccls. or 711/100,101,111,112,154,159-162,165.ccls.)) and (capacit$4 with storage adj2 device$2 and (threshold$2 with default$2))	US-PGPUB; USPAT	2004/02/11 10:25
50	BRS	350	((707/1-3,8,10.ccls. or 707/100-102.ccls. or 707/200,202-205.ccls.) or (710/1,22,23.ccls. or 711/100,101,111,112,154,159-162,165.ccls.)) and (receiv$4 adj2 command$2 with user$2)	US-PGPUB; USPAT	2004/02/11 10:29
51	BRS	232	((707/1-3,8,10.ccls. or 707/100-102.ccls. or 707/200,202-205.ccls.) or (710/1,22,23.ccls. or 711/100,101,111,112,154,159-162,165.ccls.)) and (receiv$4 adj2 command$2 with user$2) and computer and (data$2base$2 or data adj base$2) and network$2 and identif$4	US-PGPUB; USPAT	2004/02/11 10:31
52	BRS	19037	707/1-3,8,10.ccls. or 707/100-102.ccls. or 707/200,202-205.ccls.	US-PGPUB; USPAT	2004/12/23 10:42
53	BRS	7698	710/1,22,23.ccls. or 711/100,101,111,112,154,159-162,165.ccls.	US-PGPUB; USPAT	2004/12/23 10:43
54	BRS	20645	707/1-3,8,10.ccls. or 707/100-102.ccls. or 707/200,202-205.ccls.	US-PGPUB; USPAT	2005/04/20 11:03
55	BRS	8207	710/1,22,23.ccls. or 711/100,101,111,112,154,159-162,165.ccls.	US-PGPUB; USPAT	2005/04/20 16:11

56	BRS	21041	707/1-3,7,8,10.ccls. or 707/100-102.ccls. or 707/200,202-205.ccls.	US-PGPUB; USPAT	2005/04/20 16:11

	Type	Hits	Search Text	DBs	Time Stamp
57	BRS	395	(sort$4 with file$2) and (storage adj2 device$2) and (class$2 or catagor$4 or grpup$2) and characteristic$2	US-PGPUB; USPAT	2005/04/20 16:13
58	BRS	7889	(storage with capacit$$) and (exceed$4 with threshold$2) and (consum$$ or use$2 or using)	US-PGPUB; USPAT	2005/04/20 11:09
59	BRS	15	S58 and S60	US-PGPUB; USPAT	2005/04/20 11:11
60	BRS	5601	$2allocat$4 and (data with (portion$2 of part$2)) and ((categor$2 or class$2 or group$2) with file$2)	US-PGPUB; USPAT	2005/04/20 11:15
61	BRS	1203	(S57 or S56) and ($2allocat$4 and (data with (portion$2 of part$2)) and ((categor$2 or class$2 or group$2) with file$2))	US-PGPUB; USPAT	2005/04/20 11:16
62	BRS	608	(S57 or S56) and ($2allocat$4 and ((portion$2 of part$2) adj2 data) and ((categor$2 or class$2 or group$2) with file$2))	US-PGPUB; USPAT	2005/04/20 11:17
63	BRS	68	(S57 or S56) and (reallocat$4 and ((portion$2 of part$2) adj2 data) and ((categor$2 or class$2 or group$2) with file$2))	US-PGPUB; USPAT	2005/04/20 11:17
64	BRS	21041	707/1-3,7,8,10.ccls. or 707/100-102.ccls. or 707/200,202-205.ccls.	US-PGPUB; USPAT	2005/04/22 10:16
65	BRS	8207	710/1,22,23.ccls. or 711/100,101,111,112,154,159-162,165.ccls.	US-PGPUB; USPAT	2005/04/21 08:05
66	BRS	395	(sort$4 with file$2) and (storage adj2 device$2) and (class$2 or catagor$4 or grpup$2) and characteristic$2	US-PGPUB; USPAT	2005/04/20 16:14
67	BRS	20152	((generat$4 with signal$2) or (send$4 with message$2)) and (indicia or indication) and (user$2 adj2 interface$2)	US-PGPUB; USPAT	2005/04/20 16:16
68	BRS	65	((generat$4 with signal$2) or (send$4 with message$2)) and (indicia or indication) and (user$2 adj2 interface$2) and S68	US-PGPUB; USPAT	2005/04/20 16:16

	Type	Hits	Search Text	DBs	Time Stamp
69	BRS	15	(S66 or S67) and (((generat$4 with signal$2) or (send$4 with message$2)) and (indicia or indication) and (user$2 adj2 interface$2) and S68)	US-PGPUB; USPAT	2005/04/20 16:16
70	BRS	114	(file adj2 allocation adj2 table$2) and (file adj2 extension$2)	US-PGPUB; USPAT	2005/04/20 16:50
71	BRS	2	(file adj2 allocation adj2 table$2) and (file adj2 extension$2) and S68	US-PGPUB; USPAT	2005/04/20 16:50
72	BRS	21118	707/1-3,7,8,10.ccls. or 707/100-102.ccls. or 707/200,202-205.ccls.	US-PGPUB; USPAT	2005/04/21 08:05
73	BRS	8229	710/1,22,23.ccls. or 711/100,101,111,112,154,159-162,165.ccls.	US-PGPUB; USPAT	2005/04/22 10:16
74	BRS	21118	707/1-3,7,8,10.ccls. or 707/100-102.ccls. or 707/200,202-205.ccls.	US-PGPUB; USPAT	2005/04/22 10:16
75	BRS	8229	710/1,22,23.ccls. or 711/100,101,111,112,154,159-162,165.ccls.	US-PGPUB; USPAT	2005/04/22 10:16